



Elements

Heavy Commercial Luxury Wood & Stone Effect Vinyl

COMMERCIAL
WARRANTY

10
YEARS

DOMESTIC
WARRANTY

20
YEARS



A⁺BRE
ENP 461
ENVIRONMENTAL
RATING



⇒ English Oak



⇒ Summer Oak



⇒ Burnt Oak



⇒ Oriental Beech



⇒ Weathered Oak



⇒ Casablanca Oak



⇒ Barn Oak



⇒ Rich Walnut



⇒ Sand Stone



⇒ Limestone



⇒ Concrete



⇒ Riven Slate

Feature Strips



Beige



Grey



Silver



Black



Elements

Heavy Commercial Luxury Wood & Stone Effect Vinyl

PRODUCT INFORMATION

| | | |
|-------------------------|--------------|------------------------|
| European Classification | EN685 | 23 - 33 - 42 |
| Total Thickness | EN ISO 24346 | ca. 2.50 mm |
| Wearlayer | EN ISO 24340 | ca. 0.55 mm |
| Wearlayer Treatment | | Superguard® |
| Total Weight | EN ISO 23997 | 4.059 g/m ² |

SIZE & PACKING

| | | |
|----------------|--------------|-----------------------------------|
| Planks | EN ISO 24342 | 19.6 x 132.0 cm |
| Tiles | EN ISO 24342 | 32.9 x 65.9 cm |
| Box Planks | | 14 pcs/box (3.62 m ²) |
| Box Tiles | | 16 pcs/box (3.47m ²) |
| Feature Strips | | 30 lengths per pack (0.914x4mm) |

TECHNICAL INFORMATION

| | | |
|--------------------|-----------|---|
| Inflammability | EN 13501 | B _n -S ₁ |
| Slip Resistance | EN 13893 | DS |
| Slip Restraint | DIN 51130 | R10 |
| Formaldehyde Group | EN 717-1 | E1 |
| Warranty | | 20 years residential 10 years commercial |

The warranty covers manufacturing defects and early wear due to normal use.


INSTALLATION

This product must be fitted in accordance with the CFS fitting instructions which are available on request by contacting the local branch.

RECOMMENDED ADHESIVES

For normal conditions - F Ball F46, Mapei Ecofix & Bostik Pressure Sensitive Adhesive
For high temperature applications - F Ball F48 & Mapei VS90

High Temperature Adhesives should be used in areas subject to temperature fluctuation.



SAMPLING SERVICE

If you require a large sample, please list the product name and colour followed by your address details and email to: samples.redditch@carpetandflooring.co.uk

Decoration and shade may vary slightly from samples shown. The data presented is correct at the time of printing. All images used are for illustrative purposes only. All images are intended to give a general indication of the proposed floor layout only.

The sample may not be from the same production batch as current stock and therefore should be used as a guide and not as an exact match.

| | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|---|
| Aberdeen T: 01224 546 730 F: 01224 546 731 | Birmingham T: 0121 421 9131 F: 0121 421 9132 | Bow T: 0208 525 5691 F: 0208 533 1268 | Bristol T: 0117 316 0555 F: 0117 300 3588 | Camberley T: 01276 672100 F: 01276 672200 | Cambridge T: 01954 782 224 F: 01954 789 011 | Cardiff T: 029 2099 0460 F: 029 2099 0461 | Chatham T: 01634 668 668 F: 01634 684 550 | Colindale T: 020 7127 6770 F: 020 7127 6771 | Gateshead T: 0191 482 7373 F: 0191 487 8250 | Glasgow T: 0141 427 8456 F: 0141 427 8455 | Manchester T: 0161 786 6800 F: 0161 786 6801 |
|---|---|--|--|--|--|--|--|--|--|--|---|

CFS Carpets reserves the right to improve specifications without prior notice.

www.cfscarpets.co.uk

FOLDER CODE: SAMCFSF / ELEM
Made in EU 07/2015
Issue 2